

HTI Reflector



Areas of application

- Concert Lighting
- Club & Disco
- Stage & Theatre
- Studio, TV, & Film
- Architecture & Architainment

Product features and benefits

- Robust design with precision reflector alignment, ideal for light guides
- Consistent lumen output over the life of the lamp
- Higher luminous efficacy than conventional HID lamps provides higher fixture efficiency



Product family datasheet

Technical data

Product description	Electrical Data			Lifetime Data
	Nominal wattage	Nominal voltage	Nominal current	Nominal lifetime
HTI 250 W/32C	250 W	45 V	6 A	250 hr
HTI 250W/32	250 W	45 V	6 A	250 hr
HTI 400 W/24	400 W	55 V	7.3 A	250 hr

Product family datasheet

Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, HTI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.