

Halogen (> 130 V) Doppelend





Anwendungsgebiete

- Bühne und Theater
- Studio, TV und Film
- Professional Photography
- Club & Disco

Produkteigenschaften

- Robust construction for lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift







HALOGEN STUDIO LAMP 64571, 64572



HALOGEN STUDIO LAMP 64580



HALOGEN STUDIO LAMP 64751



HALOGEN STUDIO LAMP 64781

Familiendatenblatt

Technische Daten

Produkt-Bezeichnung	General Product Information		Elektrische Daten	Physical Attributes & Dimensions
	ANSI-Code	LIF		
64571 800 W 230 V	DXX	P2/13	230 V	R7s
64571 800 W 240 V	DXX	P2/13	Nan V	R7s
64572 1000 W 230 V	-	P2/35	230 V	R7s
64580 1000 W 230 V	-	P1/12	230 V	R7s
64580 1000 W 240 V	-	P1/12	240 V	R7s
64583 1000 W 230 V	-	P2/20	230 V	R7s
64583 1000 W 240 V	-	P2/20	240 V	R7s
64741 1000 W 230 V	EKM	P2/7	230 V	R7s
64741 1000 W 240 V	EKM	P2/7	240 V	R7s
64751 1250 W 230 V	-	P2/12	230 V	R7s
64751 1250 W 240 V	-	P2/12	240 V	R7s
64781 2000 W 240 V	-	P2/27	240 V	RX7s

Produkt-Bezeichnung	Lebensdauer
	Average Rated Life
64571 800 W 230 V	75 hr
64571 800 W 240 V	75 hr
64572 1000 W 230 V	75 hr
64580 1000 W 230 V	15 hr
64580 1000 W 240 V	15 hr
64583 1000 W 230 V	200 hr
64583 1000 W 240 V	200 hr
64741 1000 W 230 V	200 hr
64741 1000 W 240 V	200 hr
64751 1250 W 230 V	200 hr
64751 1250 W 240 V	200 hr
64781 2000 W 240 V	300 hr

Familiendatenblatt

Sicherheitshinweise

Halogenlampen dürfen zur Vermeidung von Personen- oder Sachschäden nur in geeigneten Leuchten betrieben werden, die so konstruiert sind (Schutzschilder, Gitter etc.), dass bei einem eventuellen Lampenplatzer keine Teile/Spitze nach außen dringen können und dass beim Betrieb keine Ultraviolettstrahlung nach außen abgestrahlt werden kann. Ferner ist darauf hinzuweisen, dass beim Betrieb der Lampen verstärkte Wärmeentwicklung auftreten kann. Nähere Hinweise hierzu erhalten Sie auf Anfrage.

Anwendungshinweis

Für weitere Anwendungsinformationen beachten Sie bitte das Produktdatenblatt.

Haftungsausschluss

Änderungen und Irrtümer vorbehalten. Vergewissern Sie sich, dass Sie immer den neuesten Stand verwenden.