



## BATTERYcharge SOLAR Cable



### More efficient connection than the 12V socket

Easier and cleaner to connect than battery clamps, whilst providing a more efficient connection than the 12V socket



### 2m cable length for easy placement

Perfect for long-term battery maintenance



### Compatible with all OSRAM Solar Battery Maintainers

Provides a permanently 'On' link between solar maintainer and vehicle battery for long term maintenance



### Solar-powered battery maintenance for vehicles

Modern vehicles have a small but constant battery drain. They are packed full of electrical systems that are constantly working even when the ignition is not running. Alarms, immobilisers, and lock monitoring are examples of systems running in the background that can cause the battery to discharge even when the vehicle is not being used. The OSPOBD is compatible with OSRAM's OSP500, OSP1000 and OSP2000 Solar Battery Maintainers to allow connection via the vehicle's OBDII port for a more efficient connection rather than through the 12V socket. It provides a permanently 'On' link between a solar panel and your battery for long term battery maintenance.

Product family datasheet

Technical data

| Product description        | General Product Information | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                        |                                                                                                    |
|----------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------------------------------------------|
|                            | Global order reference      | Candidate list substance 1                                                                                      | CAS No. of substance 1 | Safe use instruction                                                                               |
| BATTERY charge SOLAR Cable | OSPOBD                      | Lead                                                                                                            | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

| Product description        | Declaration no. in SCIP database     |
|----------------------------|--------------------------------------|
| BATTERY charge SOLAR Cable | 9ca9aa98-2153-4666-8e81-39160acb07cb |

Download Data

| File                                                                              |                                   |
|-----------------------------------------------------------------------------------|-----------------------------------|
|  | User instruction<br>BATTERYcharge |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.