


BATTERYjumpstart 500



**BOOST
FUNCTION**

Starts completely depleted batteries

New Boost function allows user to restart vehicles with depleted batteries



**≤ 3L PETROL
≤ 1.5L DIESEL**

Powerful Lithium Battery

Starts up to 3-liter petrol and 1.5-liter diesel vehicles



**USB
2.1A**

USB Power Pack

Charges phones and other devices via the built in USB port



Powerful and safe jumpstarting for 12V vehicles with integrated USB charging and enhanced safety features

The OSRAM BATTERYjumpstart 500 can jump-start vehicles with engines up to 3L Petrol or 1.5L Diesel. It's suitable for most 12V cars, vans, SUVs, and LCVs. The boost function enables jump-starting of completely depleted batteries. The unique ergonomic smart clamp connection features longer cables for better accessibility in hard-to-reach areas. Safety features include reverse polarity protection, anti-spike protection, and short circuit protection, with audible and LED indicators. An integrated torch illuminates the work area, and LED indicators show the current battery level. The unit includes a USB-C port for recharging and a USB-A output for charging devices like tablets and phones.


Product family datasheet

Technical data

| | Electrical Data | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | |
|----------------------|--|---|------------------------|--|
| Product description | Boost-Function (start batteries from 0V) | Candidate list substance 1 | CAS No. of substance 1 | Safe use instruction |
| BATTERYjumpstart 500 | Yes | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

| Product description | Declaration no. in SCIP database |
|----------------------|--------------------------------------|
| BATTERYjumpstart 500 | d36d90e1-ac19-4777-a9de-b52f99e724e1 |

Download Data

| File | |
|---|--|
|  | Brochures BATTERYjumpstart 500/1000 Lithium Starter |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.