

## Product family datasheet

# LEDsBIKE X REAR



Intelligent brake light

For greater visibility in road traffic



Flashing mode

For enhanced visibility and longer battery life



### Be seen - day and nightNot available in Germany

The intelligent LED rear light with brake light function combines modern design with functionality. Three modes give you full control: automatic mode for intelligent adjustment, continuous light for constant visibility and flashing light for enhanced visibility. No matter which mode you choose, the integrated brake light is always active. An integrated sensor instantly detects braking and alerts traffic behind you with a bright flash.

With up to 17 hours of battery life and only two hours of charging time via USB-C, you're always ready for your next ride. In addition, a charging indicator lets you know when it's time to recharge. The slim, lightweight design fits perfectly on any bike. Thanks to the flexible mount, installation is quick, easy and tool-free. And because adventures don't end when the sun goes down, the rear light is IP54-rated for protection against water and dirt.

Backed by a 2-year OSRAM guarantee<sup>1)</sup>, it's the ideal choice for cyclists who want more than just light: safety, comfort and a design that impresses.

## Product family datasheet

## Technical data

	Product information			General Product Information	Electrical Data
Product description	Application (Category and Product specific)		roduct legal advice	Global order reference	Nominal voltage
LEDsBIKE X REAR	LED Bike Lights		) For precise onditions refer to: www.osram.com/am- uaranteePlease ote: This product is ot approved for use within the scope of the German road raffic act (StVZO)	LEDBRL106	3.7 V
	Photometric Lifetime Additional produ		ct data		
Product description	Light color LED	Guarantee	Type of Battery	Charging Type	
LEDsBIKE X REAR	Red	2 years	Lithium Ion	USB-C	
					Certificates & standards
Product description	Charging time	S	etting	Usage time	Type of protection
LEDsBIKE X REAR	ZE X REAR 2 hr		teady, Automatic, lash	33 h (Flash), 17 h (Steady)	IP54
	Information ac	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
B 1 / 1 * /*			eclaration no. in		
Product description			CIP database		

## Product family datasheet

#### Download Data

#### File



User instruction

G15142993 UI LEDSBIKE X REAR LEDBRL106



User instruction

GPRS\_Safety symbols instructions

## Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

#### Legal advice

1) For precise conditions refer to: www.osram.com/am-guaranteePlease note: This product is not approved for use within the scope of the German road traffic act (StVZO)

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.