Product family datasheet

LEDriving HLT EASY H7

LEDriving high and low beam lamps for truck

Easy Plug & Play installation

„Socket Design“ – no adapters and caps needed

Superior brightness

Up to +300% compared to minimum ECE R112. More light allows to see farther and therefore react sooner. Signs, obstacles and hazards can be recognized sooner

LED replacement for conventional H7 high and low beam lamps

Reduced glaring thanks to an optimized light distribution



H7 LED replacement for 24V

LEDriving HLT EASY replacement lamps offer a modern and intense light with a color temperature of up to 6,500 Kelvin. These replacement lamps are suitable for conventional H7 high and low beam lamps. LEDriving HLT EASY for high and low beam off-road applications are 24 V compatible and stand out with superior brightness, high compatibility, easier installation due to integrated driver and no radio disturbance. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Electrical Data					Photometric Data
Product description	**Power input**	**Nominal voltage**	**Nominal wattage**	**Power input tolerance**	**Test voltage**	**Nominal luminous flux**
LEDriving HLT EASY ≙ H7	20 W	24 V	20 W	±25 %	28.0 V	2000 lm

		Physical Attributes & Dimensions		
Product description	**Luminous flux tolerance**	**Lamp base**	**Length**	**Diameter**
LEDriving HLT EASY ≙ H7	±25 %	PX26d	60.0 mm	20.0 mm

	Lifetime Data	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	**Lifespan Tc**	**Primary article identifier**	**Candidate list substance 1**	**Declaration no. in SCIP database**
LEDriving HLT EASY ≙ H7	> 2000 hr	4062172435307	No declarable substances contained	No declarable substances contained

© 2026, OSRAM GmbH. All rights reserved.

Safety advice
Application advice:For more detailed application information and graphics please see product datasheet and user manual.

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











© 2026, OSRAM GmbH. All rights reserved.