

ORIGINAL MINIWATT

Original spare part



The cost-effective original spare parts

ORIGINAL MINIWATT signal lamps for cars are original spare parts with reliable OEM quality from OSRAM. The products impress with their hard-glass technology, a high and constant luminous flux as well as a high color temperature .



Product family datasheet

Technical data

	Product information		Electrical data				Photometrical data
Product description	Order reference	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux
ORIGINAL MINIWATT 64111 ¹⁾	64111	Auxiliary lamp	5 W	12.0 V	5.00 W	13.5 V	80 lm
ORIGINAL MINIWATT 64113 ¹⁾	64113	Auxiliary lamp	10 W	12.0 V	10.00 W	13.5 V	200 lm
ORIGINAL MINIWATT 64115	64115	Auxiliary lamp	22.5 W	12.0 V	20.00 W	13.5 V	450 lm

		Dimensions & weight	Lifespan		Capabilities	Certificates & standards
Product description	Luminous flux tolerance	Diameter	Lifespan B3	Lifespan Tc	Technology	ECE category
ORIGINAL MINIWATT 64111 ¹⁾	±15 %	9 mm	150 h	500 h	AUX	-
ORIGINAL MINIWATT 64113 ¹⁾	±15 %	9 mm	150 h	400 h	AUX	-
ORIGINAL MINIWATT 64115	±15 %	9 mm	150 h	500 h	AUX	-

	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
ORIGINAL MINIWATT 64111 ¹⁾	05-03-2024	4050300883069 4008321095015 4050300647258 4062172396127	No declarable substances contained	In work
ORIGINAL MINIWATT 64113 ¹⁾	05-03-2024	4008321095046 4050300883090	No declarable substances contained	In work
ORIGINAL MINIWATT 64115	05-03-2024	4050300883120 4008321095077	No declarable substances contained	In work

¹⁾ Also available with glass base: 6411150 or 6411350

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

